


Effective suction performance with compact design

Schuko ASPIBOY

Specially designed for painting small parts and vapour aspiration: maximum performance with the minimum space requirement



Schuko COLOURMAX

Paint spray suction panel:
high quality, versatile and
extremely economical


Clean working without any health risks has never been so economical!

Legal requirements are becoming ever stricter and sensitive to environmental considerations. A painting area without paint contamination, and working conditions that do not risk the health of you and your staff, are now becoming an absolute necessity.

Schuko has developed sensationally economical paint vapour/spray aspiration systems in the form of the COLOURMAX and ASPIBOY. Just right for smaller companies or a second workplace.

Easy electrical connection, no separate switch cabinet required. Delivery includes a 7 m connection cable with motor-protection plug and switch to CEE requirements for connection outside areas subject to the risk of explosion.

COLOURMAX – Schuko quality at a sensational price



Sturdy, compact design with a shallow installation depth – just right for small areas and workshops.

With the Schuko COLOURMAX, not only the price is right. You enjoy proven high Schuko quality at the most economical price possible. Even if you only carry out spray work occasionally, there is now no longer any reason to do without a paint spray suction panel for reasons of cost or space. Your workshop, your staff, your neighbours and your own health will all feel the benefits.



Easy access ensures fast, problem-free replacement of the economical filter.

Technical data

Article No.: 517 100
Motor revs: 2.860 rpm
Protection type: EEx e, II, PTB No. Ex-86/3447
Power consumption: 1,5 kW
Voltage: 3-phase ≈ 400 V, 50 Hz
Nominal volume flow: 3.600 m ³ /h
Surface area: 2,0 m ²
Exhaust duct: Ø 300 mm
Dimensions L/D/H: 2.650 x 810 x 1.360 mm
Weight: 160 kg
Filter mat (surface area): (1 piece) 2.000 x 1.000 mm
Filter mat (internal): (1 piece) 2.050 x 1.470 mm
Push-in floor filter: (2 pieces) 500 x 500 x 20 mm

The benefits at a glance

- Effective aspiration performance
- Integrated underfloor suction
- Economical, easily replaceable filters
- Large filter surface area, providing optimum collection of paint particles
- Low energy consumption
- Low maintenance
- Installation depth of only 800 mm for installation directly against the wall
- Easy installation
- Comprehensive service network for fast, expert service

ASPIBOY – Schuko performance in the smallest possible area




The ideal equipment for aspiration of paint vapour and spray.

- The Schuko ASPIBOY will prevent your staff having to work with paint vapour in the air. This extremely compact unit, specially designed for the painting of small parts, offers Schuko performance at an economical price. The low external dimensions and the removable fan mean that the unit can be modified to fit in almost any available area. Large side panels of safety glass ensure good lighting of the parts being painted.
- Ensure the right environmental protection and work environment, with the Schuko ASPIBOY.



The rotating plate (special accessory, Article No. 517 180) enables the painting of difficult parts.



The filters, preliminary and fine filter, can be replaced when required in only a few steps.

The benefits at a glance

- Effective aspiration performance
- Paint vapour and spray are collected simultaneously in the vertical and horizontal plane
- Large filter surface area, providing optimum collection of paint particles
- Economical, easily replaceable filters
- Low energy consumption
- Low maintenance
- Space saving
- Versatile use
- Easy installation
- Comprehensive service network for fast, expert service

Technical data

Article No.: 511 000
Motor revs: 1.415 rpm
Protection type: EEx, II, PTB No. 99ATEX3312
Power consumption: 1,1 kW
Voltage: 3-phase ≈ 400 V, 50 Hz
Nominal volume flow: 1.800 m ³ /h
Surface area: 1,0 m ²
Exhaust duct: Ø 250 mm
Dimensions L/D/H: 1.900 x 860 x 1.940 mm
Weight: 195 kg
Filter mat (surface area): 1 x 600 x 1.400 mm and 1 x 400 x 1.400 mm
Filter mat (internal): 1 x 600 x 1.400 mm and 1 x 400 x 1.400 mm

Schuko
ASPIBOY

Consumables/accessories	Art. No.
Cartridge filter (surface area)	517 110
Filter mat (internal)	517 170
Rotating plate, approx. 280 mm Ø	517 180

Cost-effective aspiration systems

In the COLOURMAX and ASPIBOY, Schuko has developed sensationally economical paint vapour/spray aspiration systems. Just right for smaller companies or a second workplace.



Dealer address

For further information,
just complete and fax
this page!

Yes! Please send us further information!

Company

Branch

Mr./Mrs.

Address/PO Box

Postcode/town

Telephone

Telefax

Please make a telephone appointment for a Schuko specialist to visit us!

A Schuko representative will only visit you if specifically requested!

We have particular questions about:

We are interested in:

COLOURMAX ASPIBOY

We are also interested in:

- Schuko information folder for spray areas
- Sanding table with test certification
- Sanding area suction systems
- Paint spray aspiration equipment (mobile)
- Paint spray aspiration panels (dry)
- Paint spray aspiration panels (water-irrigated)
- Paint spray underfloor aspiration, standard
- Paint spray underfloor aspiration, internally fitted
- Ventilation systems for spray areas
- Drying areas
- Chips/filings suction
- Fans
- Briquette presses
- System components, e.g. pipes, deflector hoods

We are planning:

- a new construction
- a system expansion
- a conversion
- a sanding area
- paint spray aspiration
- a drying area
- surface treatment of
 - mixed production
 - windows
 - furniture
 - interior extension
 - shop-fitting



D-49196 Bad Laer · Gewerbepark 2 · Phone 00 49 54 24/8 06-0 · Fax 00 49 54 24/8 06-80
eMail: info@schuko.de · Internet: www.schuko.de